TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

### PB-0927P-05Q

(RoHS)

DATE:2006.07.06


### 1. Electrical Characteristics

VER .:1

Oscillation Frequency (Hz)	2731	
Operating Voltage (Vp-p)	4.5 ~ 5.5	
Rated Voltage (Vp-p)	5.0	
Current Consumption (mA/max.)	65 at Rated Voltage	
Sound Pressure Level (dB/min.)	85 at 10cm at Rated Voltage	
Coil Resistance (Ω)	40 ± 5	
Operating Temperature (°C)	-20 ~ +70	
Storage Temperature (°C)	-30 ~ +80	
Wave soldering conditions	245±5°C for 3±0.5 seconds.	
Manual soldering conditions	350±20°C / within 5sec	

PS: Vp-p=1/2duty, square wave

### 2 . Typical Frequency Response Curve







TEL:8862-26013311 FAX:8862-26013898


NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

### 3. Dimensions and Material

### 3-1 Shape








Unit: mm

#### 3-2 Material

Housing	PPO plastic resin (Color : Black)
Leading Pin	Tin Plated Brass
Weight (Gram)	0.8

### 4 . Recommend Driving Circuit



The base current Ib should high enough so that it saturates the collector current of the transistor with the CB load.

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C


#### **5. TESTING METHOD**

#### · Standard Measurement conditions


Temperature:25 $\pm$ 2 C Humidity:45-60%

### · Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



In the measuring test, buzzers is placed as follows:





TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C

#### 6. RELIABILITY

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^{\circ}\!$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Hotness	After 98 hours of being exposed to +80 ${\mathcal C}$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 $^\circ\!$	No abnormality
withstanding	environment in actual operation, should be	shall exist
	returned to normal environment for 2 hours, then	
	re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous	No abnormality
	operation. (at standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the	No abnormality
withstanding	ground.	shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm	No abnormality
withstanding	amplitude, applied in X, Y and Z directions for 30	shall exist
	minutes each.	

### 7. PACKAGE METHOD

< 1 > 100pcs  $\,$  per  $\,$  box , Total  $\,$  10 boxes  $\,$  per  $\,$  carton , total  $\,$  1000pcs carton; Volume: L\*W\*H=510\*330\*300mm

### < 2 > RoHS Mark

